



RU-486 REVERSAL



Quick Facts

*If you have taken RU-486 and now regret it, it may not be too late.
Fortunately, these pills can be reversed.*

THE CALL

In 2006, Dr. Harrison received an urgent phone call about a young woman who had taken the RU-486 abortion pill and immediately regretted her decision. Dr. Harrison had no idea if he could help save this baby, but he knew he had to try. Not sure of what his first step should be he decided to focus on how Ru-486 worked.

HOW IT WORKS

RU-486 attaches to the progesterone receptor in the mother's body and blocks the action of progesterone in the womb, which provides support and nutrients to the developing baby. When RU486 blocks that receptor the baby is deprived of blood and nutrients and starves: separation of the placenta also occurs. Usually 24-48 hours later the mother takes a second pill that brings on contractions and the unborn baby is expelled within several hours or a few days.

LIFE SAVING PLAN

Dr. Harrison discovered that if he was able to administer progesterone to the mother it might overtake the RU486 and stop the abortion process. After two progesterone shots the woman's bleeding stopped, She continued to received progesterone shots twice a week until she was half way through her pregnancy and her own body started producing enough progesterone to sustain the pregnancy. She was able to deliver full term healthy baby.

SPREAD THE WORD

There have been 175 babies born alive and healthy, since Dr. Harrison's wonderful discovery. The success rate of saving babies after the first pill is taken is 55%. The sooner you seek treatment the better. The procedure has no known side effects or major fetal birth defects, and has a scholarship program to cover the cost for those who can not afford the reversal. There are over 300 doctors ready and able to help women reverse their abortion process. For more information call the 24-hour hotline at 1-877-558-0333 or visit www.abortionpillreversal.com to speak to a nurse. For the reversal to be most effective, do not take the second pill and call the hotline with-in 72 hours of ingesting the first pill.

Original story taken from Flanders, N. (2016, May 5). *LiveActionNews*. Retrieved from <http://liveactionnews.org/doctor-saves-over-100-babies-from-abortion-through-pill-reversal-procedure/>

This is not medical advice. Please call the number above and speak with a nurse.



**ILLINOIS
RIGHT TO LIFE**

www.IllinoisRightToLife.org • 312-422-9300 • info@IllinoisRightToLife.org